

Speed Queen

COIN-OPERATED

Drying Tumblers

50 lb. (23 kg) Tumbler

75 lb. (34 kg) Tumbler



Speed Queen®

BUILT BETTER TO LAST LONGER

LET SPEED QUEEN LEAD THE WAY...

As America's largest commercial laundry equipment manufacturer, Speed Queen stands for quality, convenience, and efficiency. We've integrated innovative technology with proven commercial quality to provide coin laundry owners with state-of-the-art, cost effective laundry units that will meet your needs well into the 21st century. Since 1908 we have been committed to our tradition of quality products, backed by superior customer service.



NetMaster™ System

Speed Queen's NetMaster™ System of technologically advanced laundry products offer more flexibility and accountability benefits than you ever thought possible.



Now you can program vend prices, cycle times, rinse options, and cycle selections while auditing machine operation simply by touching a series of control pads.

CardMate™ Plus System

The CardMate™ Plus System offers the industry's first full line of commercial washers and dryers with factory-installed, smart card reader controls on individual



There are three options available to program your machines, manual, Micro-Wand IIIE™ and network with NetMaster™ models. Whatever your needs, Speed Queen has the right option for you. It's almost like having a tumbler built to your specifications. Your customers will be amazed at how easy and convenient it is to launder garments. Satisfied customers translate into profits for you.



laundry units for cashless operation.

Both you and your customers will benefit from the convenience of CardMate™ Plus.

50 lb AND 75 lb TUMBLER

All-Belt Drive



All Speed Queen tumblers feature a superior all-belt drive system resulting in substantial noise reduction. These self-adjusting belts

also reduce maintenance needed, lowering labor costs.

High-Performance Multi-Burner Heat System

Burners ignite instantly, providing desired temperature quickly and efficiently distributing even heat. Drying time is reduced and energy is saved.



24 Volt Control System




Single plug connects all operating controls to control panel for greater

reliability and convenient servicing. Wire cover eliminates need for conduit; wiring is easy to trace.



Large, Easy-to-Clean Lint Compartment

Maintaining maximum airflow promotes drying efficiency and is essential for a successful coin laundry. Speed Queen's fine mesh lint screen cleans itself automatically by depositing lint into a large storage area for easy removal. It allows customers to receive the most efficient drying while eliminating the need to manually clean filter after each use.



Durable Stainless Steel Door



Continuous opening and closing can take a toll on tumbler doors in a busy coin store. Speed Queen's attractive stainless steel door will not chip and incorporates a durable latch to secure door throughout cycle, preventing unwanted door openings. Hinges evenly distribute loads on the door so that it can stand up to heavy usage.

Embossed Finish

Innovative paint system includes nine stages of pre-treat to increase corrosion resistance on embossed steel. Paint is electrostatically applied and baked on to equipment for superior bonding.



Control Option



Our advanced NetMaster™ control panel makes it easy for customers to locate the vend price, cycle selections, cycle status, and remaining cycle time. Customers will appreciate knowing the status of their laundry and the ability to be more efficient with their time.



Our CardMate™ Plus System offers the convenience and safety of cashless operation.



Our electro-mechanical control features variable temperature controls which allow easy regulation of temperature to effectively dry delicate fabrics.

Security



All coin vault receptacles have double-thick fronts with recessed, heavy-gauge metal to hinder break-ins. Coin vault cannot be easily reached by raising top access panel.

3 YEAR WARRANTY

At Speed Queen, we're confident that our drying tumblers are built better to last longer and we're offering the following limited warranty to prove it:

Through three years*

Free replacement for any part of the drying tumbler which fails as a result of a defect in material or workmanship after the date of original installation.

*Parts only, labor not included.
See Speed Queen Warranty Bond for specifics.

TUMBLER SPECIFICATIONS

	50 lb Tumbler	75 lb Tumbler
Cylinder Size (Diameter x Depth) (in/mm)	37" x 30" (939 x 762 mm)	37" x 36" (937 x 914 mm)
Dry Weight Capacity	50 lb (23 kg)	75 lb (34 kg)
Dimensions (H x W x D) (in/mm)	76 ⁵ / ₈ x 38 ⁵ / ₈ x 47" (1946 x 981 x 1194 mm)	76 ⁵ / ₈ x 38 ⁵ / ₈ x 53" (1946 x 981 x 1346 mm)
Motor HP	1/2 HP	3/4 HP
Energy Data	Gas Models – 120,000 Btu/hour (30,240 kcal/hr)	Gas Models – 165,000 Btu/hour (41,580 kcal/hr)
Electrical Specifications and Circuit Requirements	Gas Models –	Gas Models –
	Serial Plate Amps	Serial Plate Amps
	120/60/1 9.3 200 – 208/240/60/1 5.1 200 – 208/240/60/3 2.8 200/50/3 3.3 460 – 480/60/3 1.4 230 – 240/50/1 6.3 380/400 – 415/50/3 1.6	120/60/1 13.8 200 – 208/240/60/1 7.6 200 – 208/240/60/3 3.8 200/50/3 3.5 460 – 480/60/3 1.9 230 – 240/50/1 6.7 380/400 – 415/50/3 1.8
	Electric Models – 30 kW 200 – 208/60/3 89 240/60/3 79 200/50/3 84 230/50/3 73 480/60/3 38 240/50/3 79 380/50/3 47 400 – 415/50/3 43	Electric Models – 30 kW 200 – 208/60/3 89 240/60/3 79 200/50/3 84 230/50/3 73 480/60/3 38 240/50/3 79 380/50/3 47 415/50/3 45
	Electric Models – 21 kW 240/50/1 93	
Airflow, CFM	Gas and Electric Models – 750 cfm (354 liters/sec)	Gas Models – 920 cfm (434 liters/sec) Electric Models – 750 cfm (354 liters/sec)
Net Weight	545 lb (247 kg)	615 lb (279 kg)
Shipping Weight*	Domestic – 602 lb (273 kg) Export – 670 lb (304 kg)	Domestic – 677 lb (307 kg) Export – 750 lb (340 kg)

Tumbler models are made to suit a variety of electrical service characteristics. See your Speed Queen distributor for specifications. Features and certifications may vary by model. For further details on installation refer to Installation, Operation and Maintenance Instructions supplied with the tumbler. Air outlet diameter – 8" (203 mm). Due to continuous product improvements, design and specifications are subject to change without notice. The quality management systems at all Alliance Laundry Systems facilities have been awarded ISO 9001 certification.

*All weights are approximate.



www.speedqueen.com

