

Speed Queen

COIN & CARD-OPERATED Topload WASHERS

SWT110	SWT221	SWTB21
SWT111	SWT320	SWTC20
SWT120	SWT321	SWTC21
SWT121	SWT520	SWTF20
SWT210	SWT521	SWTF21
SWT211	SWTA21	SWTH21
SWT220	SWTB20	SWTJ21



Speed Queen®

BUILT BETTER TO LAST LONGER

LET SPEED QUEEN LEAD THE WAY...

As America's largest commercial laundry equipment manufacturer, Speed Queen stands for innovation. As a leader in laundry technology, our electronically controlled laundry units for coin and card operation will provide you with quality, efficiency, convenience, and flexibility well into the 21st century. Since 1908 we have been committed to our tradition of quality products, backed by superior customer service.

NetMaster™ System

Speed Queen's NetMaster™ System of technologically advanced laundry products offer more flexibility and accountability benefits than you ever thought possible. Now you can program vend prices, cycle times, rinse options, and cycle selections while auditing machine operation simply by touching a series of control pads.



There are three options available to program your machines, manual, Micro-Wand IIIE™ and network with NetMaster™ models. What ever your needs, Speed Queen has the right option for you. It's almost like having a washer built to your specifications. Your customers will be amazed at how easy and convenient it is to launder garments. Satisfied customers translate into profits for you.

CardMate™ Plus System

Speed Queen introduces a revolution in laundry room convenience, accountability and profitability.

The CardMate™ Plus System offers the industry's first full line of commercial washers and

dryers with factory-installed, smart-card reader controls on individual laundry units for cashless operation.

Both you and your customers will benefit from the convenience of CardMate™ Plus.



Topload Washers

Improved Out-of-Balance System


Speed Queen's unique Automatic Balance System (ABS) provides the industry's best out-of-balance handling. The liquid-filled balance ring at the top of the tub, coupled with the new innovative suspension system,

means that machines complete wash cycles without interruption, eliminating not only unfinished

wash cycles and unnecessary service calls, but the need for an out-of-balance switch, as well.

High Security System

Breaking into Speed Queen's Strong Box™ metercase and coin vault requires more time, energy, and noise than most vandals care to risk. Speed Queen washers are constructed of solid, reinforced steel for greater strength and rigidity to deter acts of vandalism. Our innovative meter case design, with a double-wrapped steel front, makes it twice as hard to break into. A sturdy steel plate and heavy-duty bolts reinforce the security of the metercase to the washer top.



Durable Stainless Steel Tub



Keep your customers' clothes looking their best longer. Speed Queen's exclusive stainless

steel tub actually becomes smoother with each use, so it won't pill, snag or fray clothes. Stainless steel won't corrode, chip, crack or pit with normal use and it's extremely rust resistant.

100% Front Serviceability



Simple removal of front panel or control hood provides easy access for servicing from installed position, saving you time and money.

Faster Spin Speed

At 710 RPM our topload washer's spin speed is among the highest in the industry. The amount of moisture left in clothes will be far less than other slower-spinning models, resulting in a significant reduction in energy usage—that results in faster customer turnover and higher profits.

Water Fill System

Our new water fill system enables water to flow all the way around the tub as it enters the washer, so that even the most overstuffed loads receive a better wetdown and a better spray rinse. Even oversized loads can get their cleanest!



Water & Energy Efficiency

Designed to save you money, Speed Queen's adjustable water level control gives owners the flexibility to choose water wash/rinse levels to meet the needs of various locations. A simple adjustment behind the control panel enables owners to select from three efficient water level settings. This feature is accessible to owners only.



Control Options



Fully programmable NetMaster™ control



Fully programmable electronic control (EDC)



Mechanical control

Our advanced NetMaster™ and Electronic DISPLAY Control™ (EDC) makes it easy for customers to locate the vend price, cycle selections, cycle status, and remaining cycle time. Customers will appreciate knowing the status of their laundry and the ability to be more efficient with their time.

Our electro-mechanical control offers water temperature and fabric selector options, along with cycle cue lights that show the user what stage of the wash cycle the washer is in.

Activation Options



Single Coin Drop



Dual Coin Drop



Card-Activated



Coin Slide

Speed Queen lets you customize your activation options. Our new single coin drop is now available on our complete line of equipment.

Its all-metal design reduces coin jamming and provides superior coin validation. Dual coin drop for International use and a USA dual coin conversion are also available.

The new CardMate™ Plus system offers the convenience and safety of cashless operation.

Our coin slide option continues to provide the durability you've always relied on.

3 YEAR WARRANTY

At Speed Queen, we're confident that our heavy duty commercial washers are built better to last longer and we're offering the following limited warranty to prove it:

Through three years*

Any part on the entire machine.

Through five years*

The transmission assembly.

Through lifetime*

Stainless steel wash tub.

*Parts only, labor not included.

See Speed Queen Warranty Bond for specifics.

Topload Washer Specifications

	SWT110 – Porcelain Tub SWT111 – Stainless Steel Tub	SWT120 – Porcelain Tub SWT121 – Stainless Steel Tub	SWT210 – Porcelain Tub SWT211 – Stainless Steel Tub	SWTH21 – Stainless Steel Tub
Control	E-mech/short cycle/1 spd./coin	E-mech/short cycle/2 spd./coin	E-mech/long cycle/1 spd./coin	NetMaster/2 spd./network/coin
Width (in/mm)	25 5/8" (651 mm)	25 5/8" (651 mm)	25 5/8" (651 mm)	25 5/8" (651 mm)
Depth (in/mm)	28" (711 mm)	28" (711 mm)	28" (711 mm)	28" (711 mm)
Height (in/mm)	43" (1,092 mm)	43" (1,092 cm)	43" (1,092 mm)	43" (1,092 mm)
Shipping Weight	210 lbs. (95 kg)	210 lbs. (95 kg)	210 lbs. (95 kg)	210 lbs. (95 kg)
Cycle Time (maximum)	18.75 minutes plus fill time	18.75 minutes plus fill time	27.5 minutes plus fill time	27.5 minutes plus fill time
Basket Volume (DOE Cu. Ft.)	2.52 (71 liters)	2.52 (71 liters)	2.52 (71 liters)	2.52 (71 liters)
Agitation Strokes	67 spm	67 spm normal 44 spm gentle	67 spm	67 spm 44 spm gentle
Spin Speed/Extract	High Speed 710 RPM	High Speed 710 RPM Low Speed 474 RPM	High Speed 710 RPM	High Speed 710 RPM Low Speed 474 RPM
Motor	60 Hz – One speed, 1/2 HP reversing for 1725 RPM 50 Hz – One speed, 1/2 HP reversing for 1450 RPM	60 Hz – Two speed, 1/2 HP reversing for 1725 or 1140 RPM	60 Hz – One speed, 1/2 HP reversing for 1725 RPM 50 Hz – One speed, 1/2 HP reversing for 1450 RPM	60 Hz – Two speed, 1/2 HP reversing for 1725 RPM or 1140 RPM
Electrical Voltages Available	120/60/1 - 15 amp 220/60/1 - 15 amp 230/50/1 - 13 amp 240/50/1 - 10 amp	120/60/1 - 15 amp	120/60/1 - 15 amp 230/50/1 - 13 amp	120/60/1 - 15 amp
Total Water Usage US gallons	32.4 (122.6 liters)	32.4 (122.6 liters)	31.5 (119.2 liters)	31.5 (119.2 liters)

	SWT220, SWT320 – Porcelain Tub SWT221, SWT321 – Stainless Steel Tub	SWT520, SWTB20 Porcelain Tub SWTA21, SWT521, SWTB21 Stainless Steel Tub	SWTC20, SWTF20 – Porcelain Tub SWTC21, SWTF21 – Stainless Steel Tub	SWTJ21 – Stainless Steel Tub
Control	E-mech/long cycle/2 spd./coin	EDC/NetMaster/2 spd./coin	NetMaster/2 spd./card	NetMaster/2 spd./network/card
Width (in/mm)	25 5/8" (651 mm)	25 5/8" (651 mm)	25 5/8" (651 mm)	25 5/8" (651 mm)
Depth (in/mm)	28" (711 mm)	28" (711 mm)	28" (711 mm)	28" (711 mm)
Height (in/mm)	43" (1,092 mm)	43" (1,092 mm)	43" (1,092 mm)	43" (1,092 mm)
Shipping Weight	210 lbs. (95 kg)	210 lbs. (95 kg)	210 lbs. (95 kg)	210 lbs. (95 kg)
Cycle Time (maximum)	27.5 minutes plus fill time	27.5 minutes plus fill time; owner adjustable	27.5 minutes plus fill time; owner adjustable	27.5 minutes plus fill time; owner adjustable
Basket Volume (DOE Cu. Ft.)	2.52 (71 liters)	2.52 (71 liters)	2.52 (71 liters)	2.52 (71 liters)
Agitation Strokes	67 spm normal 44 spm gentle	67 spm normal 44 spm gentle	67 spm normal 44 spm gentle	67 spm normal 44 spm gentle
Spin Speed/Extract	High Speed 710 RPM Low Speed 474 RPM	High Speed 710 RPM Low Speed 474 RPM	High Speed 710 RPM Low Speed 474 RPM	High Speed 710 RPM Low Speed 474 RPM
Motor	60 Hz – Two speed, 1/2 HP reversing for 1725 or 1140 RPM	60 Hz – Two speed, 1/2 HP reversing for 1725 or 1140 RPM	60 Hz – Two speed, 1/2 HP reversing for 1725 or 1140 RPM	60 Hz – Two speed, 1/2 HP reversing for 1725 or 1140 RPM
Electrical Voltages Available	120/60/1 - 15 amp	120/60/1 - 15 amp	120/60/1 - 15 amp	120/60/1 - 15 amp
Total Water Usage US gallons	31.5 (119.2 liters)	31.5 (119.2 liters)	31.5 (119.2 liters)	31.5 (119.2 liters)

Color options white and almond; some models available only in white. All models porcelain top and lid. Height to work surface 35 1/2". Water temperatures hot, warm and cold. Cycles normal, permanent press and delicate. The quality management systems at all Alliance Laundry Systems facilities have been awarded ISO 9001 certification. Due to continuous product improvements, design and specifications are subject to change without notice. Features and certifications may vary by model.



www.speedqueen.com

